



### **Product Highlights**

#### **Extend Wi-Fi Coverage with Wireless AC**

Extend your home Wi-Fi coverage and enjoy combined connection speeds of up to 1200 Mbps with the latest Wireless AC technology

#### More Than Just a Wi-Fi Extender

Create personal Wi-Fi hotspot or add Wi-Fi connectivity to computers, smart TVs and games consoles with Ethernet ports

#### Easy to Set Up

Use the QRS Mobile app on your phone or push the WPS button to install the device in minutes without needing a PC



### **DAP-1610**

# **AC1200 Wi-Fi Range Extender**

#### **Features**

#### Connectivity

- Wireless AC gives you high-speed wireless connectivity for your devices
- Works with your existing Wi-Fi devices with full backwards compatibility
- Combined Wi-Fi speeds of up to 1200 Mbps<sup>1</sup>
- Dual-band connectivity for greater flexibility and reduced interference
- Fast Ethernet Port

#### Security

- WPA2/WPA wireless encryption to keep your wireless connection secure
- Wi-Fi Protected Setup (WPS) for secure setup with the simple press of a button

#### Easy to Use

- One-piece wall plug design is compact, discreet and does not require additional power adapter and cable
- Built-in setup wizard and QRS Mobile app for mobile devices guide you through installation

The DAP-1610 is a wall-plug Wi-Fi range extender that lets you extend your existing Wi-Fi network. Simply plug it into a power socket in your home to increase the range of your Wi-Fi network. Small yet powerful, it supports the latest Wireless AC technology with combined speeds of up to 1200 Mbps<sup>1</sup>, as well as dual-band connectivity.

### **Extend Your Wireless Network and More**

Increase the coverage of your home Wi-Fi network with the sleek and easy-to-use AC1200 Wi-Fi Range Extender. Using the latest Wireless AC technology, it can provide combined Wi-Fi speeds of up to 1200 Mbps¹ (867 Mbps on 5 GHz + 300 Mbps on 2.4 GHz). Dualband technology helps reduce interference from nearby Wi-Fi and also provides backward compatibility with older wireless devices in your network, allowing you to enjoy a blazing-fast, reliable wireless connection. Alternatively, use the built-in Fast Ethernet port to create a personal Wi-Fi hotspot in hotel rooms with wired Internet access whether you are away on holiday or business. You can also add Wi-Fi connectivity to computers, smart TVs and games consoles with Ethernet ports.

### Easy to Set Up, Easy to Use

Setting up the AC1200 Wi-Fi Range Extender is simple. You can use the supported QRS Mobile app on your iOS and Android smartphones and tablets to set up easily without needing a computer. Alternatively, you can use one-touch setup by pushing the WPS push-button on the AC1200 Wi-Fi Range Extender and your Wi-Fi router, to instantly extend your Wi-Fi coverage. It even includes a built-in setup wizard that lets you configure it wirelessly with a PC or mobile device.

## Compact, Convenient Design

The AC1200 Wi-Fi Range Extender is a compact device that is ideal for use at home or in a small office. The visual signal indicator LED makes it easy to find suitable placement location. Its space-saving wall-plug design easily saves you the hassle of dealing with a power adapter and cable. Its discreet and unobtrusive appearance blends easily into the decor of your home or office.



# Extend Your Wireless Network using Wi-Fi



## **Extend Your Wireless Network using Ethernet**



Technical Specifications		
General		
Device Interfaces	802.11ac/n/g/b/a Wireless LAN     10/100 Mbps Ethernet Port	Reset Button     WPS Button
LEDs	Status/WPS	3 Segment Wi-Fi Signal Strength Indicator
Standards	• IEEE 802.11ac • IEEE 802.11n • IEEE 802.11g	• IEEE 802.11b • IEEE 802.11a • IEEE 802.3ab
Antennas	Two external antennas	
Data Signal Rate	• 2.4 GHz • Up to 300 Mbps¹	• 5 GHz • Up to 866 Mbps <sup>1</sup>
Functionality		
Wireless Security	Wi-Fi Protected Access (WPA/WPA2)	• WPS (PBC)
Advanced Features	D-Link One-Touch Extender Setup	
Device Management	Supports QRS Mobile app for iPhone, iPad, iPod touch, and Android mobile devices	• Web UI
Operating Frequency	• 2412 ~ 2472 MHz, 5150 ~ 5350 MHz	
Max. Output Power	• 2.4: 19.48 dBm   5: 18.11 dBm	

## DAP-1610 AC1200 Wi-Fi Range Extender

Physical		
Dimensions (LxWxH)	• 97.9 x 50.7 x 48.7 mm (3.85 x 2.00 x 1.92 inches)	
Weight	• 120 grams (4.23 ounces)	
Power	• Input: 100 to 240 V AC, 50/60 Hz	
Temperature	• Operating: 0 to 35 °C (32 to 95 °F)	• Storage: -20 to 70 °C (-4 to 158 °F)
Humidity	Operating: 10% to 90% non-condensing	Storage: 5% to 90% non-condensing
Certifications	• FCC • IC	• CE <sup>2</sup> • UL

<sup>&</sup>lt;sup>1</sup> Maximum wireless signal rate derived from IEEE Standard 802.11ac and 802.11ar specifications. Actual data throughput will vary. Network conditions and environmental factors, including volume of network traffic, building materials and construction, and network overhead, may lower actual data throughput rate. Environmental factors will adversely affect wireless signal range.

<sup>2</sup> For the EU region, this product is compliant with CE regulations and operates within the following frequency ranges: 2.4 - 2.4835 GHz and 5.150 - 5.250 GHz.



For more information: www.dlink.com

**Building Networks for People**